



Dell UltraSharp 27 Monitor | U2715H 68.6 cm (27 inches)

# Experience Dell UltraSharp performance and multi-monitor viewing at its best

Enjoy brilliant QHD resolution and a virtually borderless viewing experience that's perfect for multi-monitor use with the Dell UltraSharp 27 Monitor – U2715H.

For More Information visit www.dell.com/monitors





Dell UltraSharp 27 Monitor | U2715H 68.6 cm (27 inches)

### The Dell UltraSharp 27 Monitor offers you:

#### World class screen performance

View images and documents easily with superb Dell UltraSharp screen clarity and precise color performance on this large, 27" viewing area with brilliantly sharp QHD resolution.

- Enjoy consistent, accurate colors right out of the box each Dell UltraSharp 27 Monitor is factory tuned at 99% sRGB with a deltaE < 3.</li>
- To enhance collaboration with co-workers, colors on the screen remain consistent from virtually any angle with this monitor's ultra-wide viewing angle.
- Experience great color depth and detail with 16.78 million colors and exceptional screen clarity on a large 27", 16:9 screen with QHD resolution of 2560 x 1440.
- Help boost productivity with easy multi-monitor setup thanks to daisy chain capabilities via DisplayPort out connectivity.
  - The ultra-thin bezel allows virtually borderless viewing between monitors.

#### Outstanding usability

Enjoy excellent connectivity and flexible viewing options that make the U2715H easy to use.

• Easily pivot 90° clockwise or counter-clockwise placing the thinnest edges side by side for an enhanced screen experience with a multi-monitor set up.

# Perfect for dual/multi-monitor set up to promote increased productivity.

Recommended for:

- Traffic control monitoring
- Programming and software development
- Office applications

- Work the way you like with the fully adjustable
   U2715H including tilt, pivot, swivel and height adjustable stand features.
- Connect seamlessly to your PC and other peripherals simultaneously without compromising on picture quality via digital connectivity.
- Display content from your smartphone or tablet directly on the large monitor screen and charge it at the same time when you connect either device via MHL to your U2715H monitor.
- A high current USB 3.0<sup>1</sup> charging port supplies twice the power for charging and powering BC1.2 compatible devices.
- Gain enhanced productivity with Dell Display Manager which houses applications that can be customized easily like Auto Mode, Easy Arrange and Power Nap.

## Reliability and eco-efficiency

- Minimize downtime and gain peace of mind with:
  - Premium Panel Guarantee<sup>2</sup> which offers a free panel exchange in the event that you discover even one bright pixel during the Limited Hardware Warranty<sup>3</sup> period.
  - Dell's 3-year Limited Hardware Warranty and Advanced Exchange Service<sup>4</sup>, providing you with quality you can count on.
- Made of environmentally preferable materials, the U2715H is designed with more than 25% post consumer recycled materials in its chassis, is BFR/PVC-free (excluding external cables), arsenic-free glass and a mercury-free LED panel.
- Rest assured that the U2715H meets the latest environmental standards such as ENERGY STAR®, EPEAT® Gold<sup>5</sup> and TCO Certified Displays.

Thank you for making Dell monitors


#1
Worldwide\*

## viewing position to work the way you like.



Pivot clockwise

Pivot counter-clockwise





- AC power В
- Dell soundbar mounting slots
- HDMI (MHL)
- D DisplayPort in
- E Mini DisplayPort in
- F DisplayPort out (MST)
- G Audio-Line out
- H USB upstream
- I USB downstream
- J Stand lock



#### What's in the box?

Monitor, stand, cable cover, power cable (varies by country), DisplayPort cable (mini-DP to DP), USB 3.0 upstream cable (enables the USB ports on the monitor), drivers and documentation media, quick set up guide, product and safety information guide, Factory Calibration Report.

Dell recommends that customers dispose used computer hardware, including monitors, in an environmentally sound manner. Potential methods include reuse of parts or whole products and recycling of product, components and/or materials. For more information, please visit http://dell.com/recycling\_programs and www.dell.com/environment







#### Dell UltraSharp 27 Monitor | U2715H

Dell Olliasharp 27 Monitor   02/15h	
Display	
Model number	U2715H
Viewable image size (diagonal)	68.47 cm (27 inches)
Active display area	
Horizontal	596.74 mm (23.49 inches)
Vertical	335.66 mm (13.21 inches)
Maximum resolution	QHD 2560 x 1440 at 60 Hz
Aspect ratio	16:9
Pixel pitch	0.2331 mm
Brightness (typical)	50 to 350 cd/m <sup>2</sup>
Color gamut (typical)	91% (CIE1976), 99% sRGB (delta E <3)
Color depth	16.78 million colors
Contrast ratio (typical)	1000:1
Dynamic contrast ratio (max)	2 million:1
Viewing angle (typical) (vertical/horizontal)	178° / 178°
Response time (typical)	Fast mode: 6 ms gray-to-gray (typical) Normal mode: 8 ms gray-to-gray (typical)
Panel technology	In-plane switching, anti-glare with hard coat 3H
Backlight	LED
Speakers (optional)	Dell Speaker Bar AC511
Connectivity	
Connectors	2xHDMI(MHL), 1xMini DisplayPort/ DisplayPort 1.2 <sup>7</sup> , 1 DisplayPort out (MST), 1 x Audio Line out, 5 x USB 3.0 ports
Design features	
Stand	Height-adjustable stand, tilt (typical: 5° forward or 21° backward) , pivot (clockwise and counterclockwise), swivel and built in cable-management
VESA mounting support (wall mount kit sold separately)	Dell Quick Release feature (100 mm x 100 mm)
Security	Security lock slot (security lock not included)
Power	
AC input voltage/frequency/current	100 to 240 VAC/50 or 60 Hz ± 3 Hz/1.5 A (typical)
Power consumption (typical)	36W
Power consumption standby/sleep mode	<0.5 W
Dimensions (with stand)	·
	400.0 mm (16.14 inches)
Height (compressed ~ extended)	409.9 mm (16.14 inches) ~ 524.9 mm (20.67 inches)
Width	612.7 mm (24.12 inches)
Depth	205.0 mm (8.07 inches)
Weight	
Weight (panel only – no stand)	4.91 kg (10.08 lb)
Weight (with stand)	7.38 kg (16.24 lb)
Shipping weight	10.47 kg (23.03 lb)
Standard service plan  • 3 Years Advanced Exchange Service <sup>4</sup> & 3 Years Limited Hardware Warranty <sup>3</sup> • Premium Panel Guarantee <sup>2</sup>	Environmental compliance ENERGY STAR®, EPEAT® Gold <sup>5</sup> , TCO Certified Displays, China Energy Label, RoHS, WEEE, ErP (EuP) Standards, Korea E-Standby

Based on Ad# A14000385 dell.com/monitors

Product availability varies by country. Please contact your Dell representative for more information.

<sup>\*</sup>Dell monitors are #1 Worldwide in 2013. Dell monitors are #1 in North America for the last 14 years (2000 to 2013).

Source: NPD DisplaySearch Quarterly Desktop Monitor Shipment and Forecast Report. (AdRG14000221)

\*\* Registered in US and Canada only.

\*For charging BC1.2 devices and also supports up to 2A when powering standard USB devices.

In the event you discover even one bright pixel during the Limited Hardware Warranty period, a free panel exchange is guaranteed. (see pixel panel info located on Dell.com web page for complete details):

http://support/dell.com/support/topics/global.aspx/support/kcy/document/docid=414288

\*For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see dell com/warranty.

For a copy of the Limited Hardware warranty, write Delt Osh Er, Auth. Hardware Warranty.
 Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis.
 Fee charged for failure to return defective unit. Availability varies. Other conditions apply.
 SEPEAT Gold registered in the U.S. EPEAT registration varies by country. See www.epeat.net for registration status by country.
 Color gamut (typical) is based on CIE1976 (91%) and CIE1931 (76%) test standards.
 ObsplayPort 1.2 - Supports High Bit Rate 2 (HBR2) and Multi-stream transport (MST). U2715H does not support fast AUX transaction, 3D stereo transport and HBR (High bit rate) audio.