

VIDEO

Output Resolution	720p / 1366 x 768 / 1080p / 2160p
-------------------	-----------------------------------

Digital (Terrestrial, Cable, Satellite)	ATSC (Clear QAM)
---	------------------

Closed Captioning	Yes
-------------------	-----

HOSPITALITY

Data Streaming (IP & RF)	Yes
--------------------------	-----

HCAP (GEM / FLASH / HTML)	GEM/HTML5
---------------------------	-----------

IP Return Path	Yes
----------------	-----

Multicast / Unicast ready	Yes / Yes
---------------------------	-----------

Pro:Centric webRTC (Real Time Communication)	Yes (Javascript only)
--	-----------------------

HCAP Input Device Driver Support	Yes (USB Mouse, USB Keyboard, Magic Remote, USB Camera, Remote App)
----------------------------------	---

Quick Menu (Version)	Yes (4.0)
----------------------	-----------

Pro:Idiom (S/W, Mobile, Lite)	Yes
-------------------------------	-----

SMART FEATURES

webOS (Version)	Yes (webOS 5.0)
-----------------	-----------------

Smart Home (Launcher Bar)	Yes
---------------------------	-----

Gallery Mode	Yes
--------------	-----

Web Browser	Yes
-------------	-----

Pre-loaded App	Yes
----------------	-----

SDP Server compatibility	Yes
--------------------------	-----

Magic Remote Compatibility	Yes
----------------------------	-----

Clock (World Clock / Alarm)	Yes
-----------------------------	-----

SoftAP	Yes
--------	-----

Wi-Fi	Yes
-------	-----

Screen Share (Miracast / WiDi)	Yes
--------------------------------	-----

Smart Share (DLNA)	Yes
--------------------	-----

LG Connect (LG TV Plus App)	Yes
-----------------------------	-----

Dial	Yes
------	-----

Bluetooth Sound Sync (Audio Playback)	Yes
---------------------------------------	-----

Mobile Connection Overlay	Yes
---------------------------	-----

OTHER FEATURES

First Use Wizard	Yes
------------------	-----

USB Cloning	Yes
-------------	-----

Update Time	Yes
-------------	-----

WOL	Yes
-----	-----

SNMP	Yes
------	-----

Diagnostics (IP Remote)	Yes
-------------------------	-----

SI Compatible	Yes (MPI, RS-232C)
---------------	--------------------

Simplink (HDMI-CEC) plus CEC-HTNG	Yes (1.4)
-----------------------------------	-----------

IR Out	Yes (MPI, RS-232C)
--------	--------------------

Multi-code IR	Yes
---------------	-----

Installer Menu	Yes
----------------	-----

Welcome Screen (Splash Image)	Yes
-------------------------------	-----

Insert Image	Yes
--------------	-----

One Channel Map	LCM
-----------------	-----

Instant On	Yes
------------	-----

VLAN ID	Yes
---------	-----

RJP (Remote Jack Pack) Compatibility	HDMI (CEC)
--------------------------------------	------------

Auto Off / Sleep Timer	Yes / Yes
------------------------	-----------

Energy Saving Mode	Yes
--------------------	-----

LG Sound Sync	Yes
---------------	-----

Beacon	Yes
--------	-----

INTERFACES

External MPI Control (RJ12)	1
-----------------------------	---

MPI / MTI Television Control (RJ12)	1
-------------------------------------	---

HDMI In	2 (2.0, HDCP 2.2)
---------	-------------------

USB In	2 (2.0)
--------	---------

Power	1
HDMI Out	1 (2.0, HDCP 2.2)
Optical Digital Audio Out	1
Audio Line Out	1
AV In (3.5mm Jack)	1
External IR In (3.5mm Jack)	1
RS-232C Television Control (3.5mm Jack)	1
External RS-232C Control (3.5mm Jack)	1
Service	1
Antenna In / Cable In	1
LAN (RJ45)	1
60-pin Expansion Interface	1

MECHANICALS

Weight	1.6 lbs / 0.72 kg
Shipping Weight	4.1 lbs / 1.85 kg
Dimensions	9.2" x 7.1" x 1.2" / 233 x 180.5 x 29.8 mm
Shipping Dimensions	14.4" x 5.6" x 8.6" / 366 x 143 x 218 mm

POWER

Power Supply	120 Vac, 50 / 60 Hz
--------------	---------------------

Power Consumption (Max)	60 W
Power Consumption (Typ.)	14.1 W (STB Only) / 44 W (STB + Exp Module)
Standby Power Consumption	Less than 1.5 W
Operating Temperature	32°F to 104°F / 0°C to 40°C
Operating Humidity	Less than 80%
Storage Temperature	-4°F to 140°F / -20°C to 60°C
Storage Humidity	Less than 85%

WARRANTY & OTHER

Standards	UL
EMC Certification	FCC
Warranty	Two-Year Limited
Included Accessories	AC Adapter, Manual, Cables (HDMI, MPI, 3.5mm to RS-232C, AV Adapter)