

▪ Specification


Product Model	
Product Model	DS-D5B75RB/B
Display	
Screen Size	75 inch LED Backlight
Backlight	DLED
Pixel Pitch	0.143 (H) × 0.430 (V) mm
Resolution	3840 × 2160@60 Hz
Brightness	350 cd/m ²
Color Depth	10 bit
Contrast Ratio	1200:1(Typ.)
Response Time	6 ms
Color Gamut	90% NTSC(CIE1931)(Typ.)
Refresh Rate	60 Hz
Viewing Angle	178°(H)/178°(V)
Built-in System	
Operation System	Android 8.0
Processor	4-core A73 × 2 + A53 × 2, 1.5 GHz
Memory	3 GB
Built-in Storage	32 GB
NIC	Built-in 100 Mbps NIC, supporting routing
Touch	
Type	Infrared touch screen
Glass	AG smooth glass
Touch Point	20 point multi-touch
Touch Response Time	< 10 ms
Touch Precision	± 1 mm (≥ 90% touching area)
Screen Lamination Type	Non-laminated
Internal Function	
Loudspeaker	Built-in 2 × 16 W loudspeaker
Bluetooth	Built-in BLE (Bluetooth Low Energy) module supports Bluetooth 5.0 and previous version.
Interface	
Video & Audio Input	HDMI IN × 2, MAX 4K@60 Hz, LINE IN × 1
Video & audio output	HDMI OUT × 1, MAX 4K @ 60 Hz, LINE OUT × 1
Control interface	RS-232 × 1
Network Interface	RJ45 (100 Mbps port) × 2
Data Transmission Interface	USB on front panel × 2, USB on rear panel × 2, touch USB × 1
Power	
Power Consumption	≤ 300 W (full load)
Standby Consumption	0.5 W
Working Environment	
Working Temperature	0 °C to 40 °C (32 °F to 104 °F)

Working Humidity	10% to 90% RH
General	
Power	100 to 240 VAC, 50/60 Hz
Product dimensions	1718 × 1021 × 87.5 mm (67.6" × 40.2" × 3.4")
Package Dimensions (W × H × D)	1927 × 1212 × 254 mm (75.9" × 47.7" × 10")
Net Weight	52.25 kg (115.19 lb.)
Gross Weight	68.86 kg (151.81 lb.)
Camera	
Pixel	8 MP
Camera Function	Smart switch between Android system and OPS
Field Angle	100 °(diagonal), 90°(horizontal), 66°(vertical)
Distortion	≤1%
Camera Resolution Ratio	Up to 4K
Microphone	
Specification	Omni-directional 6-array layout
Mic Function	Echo reduction and smart noise-cancellation
Voice Distance	8 m
Sampling Rate	32 K
Mic Sampling Rate	16 bit

▪ Available Model

DS-D5B75RB/B(海外标配),

▪ Physical Interface



Interface	Description	Interface	Description
1.LINE OUT	Audio output interface	2.LINE IN	Audio input interface
3.RS-232	RS-232 serial port	4.TOUCH-USB	Peripheral touch interface
5.LAN 1	Ethernet interface 1	6. LAN 2	Ethernet interface 2
7.HDMI 1	HDMI input interface 1	8.HDMI 2	HDMI input interface 2
9.USB 2.0	USB 2.0 interface	10.MULTI-USB	Multi-functional USB interface
11.HDMI OUT	HDMI output interface		

▪ Dimension

