


DMInteract[®]
From Visualization to Collaboration

Ultra Series Interactive Flat Panel Solution
48MP Built-in Camera, Microphone, NFC, Fingerprint Sensor
Available Sizes: 65", 75", 86", 98" & 110"



Best Performance Interactive Screen For Education And Business



 **8nm**
Lithography Process

 **Octa-core**
CPU

 **2.4GHz**
Frequency

 **6Tops**
Computing Power

 **8K Video**
Video Decoding


 **EDLA**
Coming Soon

Experience the power of an intuitive app-based user interface that makes teamwork a breeze. Whether in the classroom or the boardroom, our robust whiteboard functionality allows for real-time sharing and brainstorming, taking your productivity to new heights.



Naturally Smooth Writing with Digital Accuracy

Write, annotate, and collaborate during presentations with a pen-on-paper feel. With dual-pen recognition to support group collaboration, and Ultra Fine Touch technology and 3mm tipped pens for lag-free digital precision, offers unparalleled writing accuracy with a natural flow.



3mm
Diameter Pen



Palm Rejection

Palm recognition technology minimizes errant touch inputs from palms, wrists, sleeves, etc., so that users can write and annotate freely.



Touch

Up to 40 points of touch
(Windows)



8K Resolution With Immense Picture Quality

A dynamic display range has 8k video resolution with an unparalleled visual experience offer true to life color and picture quality, enhances any classroom or meeting room experience and adds life to it.



Zero Bonding

Zero bonding technology ensures high precision touch and dust free clarity screens.



8Array Microphones with speaker tracking

8 microphones and speaker-tracking technology locate the sound source in real-time, ensuring the speaker is always the center of attention.

8_{Array}



10_{-meter}

AI_{noisereduction}




48MP AI Camera Auto framing

With auto-framing, the **DMInteract®** display automatically adjusts to achieve the best angle based on the number of participants and their location, so it feels like a face-to-face interaction.



Multiple Ports



- HDMI OUT
- Type-C Out
- Bluetooth 5.2



- USB 3.0
- USB-C In (Multi media 65W/100W Optional)
- NFC
- WIFI 6, 2.4G/5G 802.11ax.



- Magnetic pen tray
- Front facing speakers
(20W optional)




- Finger Print Module
- Light Sensor
- PM2.5 Sensor

Type-C Versatile Connectivity

Experience seamless connectivity with the versatile Type-C port. Effortlessly connect to webcams, microphones, speakers, USB flash drives, and wired networks by simply plugging in a cable. And with up to 100W of charging performance, your device stays powered throughout your lessons.



Transform Images into Actionable Insights



Import pictures

From Image to Insight

"Capture. Convert. Conquer."

"With RK3588, capturing an image is just the beginning. Convert it into text and conquer the information it holds. Whether it's documents, receipts, or notes, RK3588's OCR turns images into insights at your fingertips."





Image recognition






Object handling



Google search


Transform Your Writing with Umind Advanced **AI Pen**

AI-powered pen tools, integrated into our Umind whiteboard software, offer unparalleled accuracy and intuitive functionality.




Empowering Education, Amplifying Insights

– Your gateway to a world of science and math



Courseware Function-Ucourse



Quiz


From primary to higher education, our platform covers a wide range of subjects, igniting curiosity and fostering deep understanding. Customize your curriculum, create dynamic content, and contribute to a learning revolution that transforms teaching and empowers learners to achieve more."

RK3588: The Core of Your 3D Vision Transform Ideas into Reality




Natural Sciences

Anatomy and Physiology
Geography and Earth Sciences
Chemistry and Molecular Structure
Biology and Ecology
Astronomy and Space Science
Physics and Mechanics



Engineering and Technology

Engineering and Robotics



Social Sciences

Environmental Science and Sustainability



Mathematics

Mathematics and Geometry




Arts

Art and Design

DMS-"Simplify, Streamline, Secure."

Secure your documents, smarten your management, and enjoy a seamless experience, all in one unified platform."

DM



Easy Maintenance
& Customization



Secured
Document



Save Cost



Recovering Files



Liberate Manpower



Remote Control



Save Storage




Cloud Sync, Seamless Harmony

"Experience cloud sync like never before. Our service harmonizes with Google, OneDrive, and more, uniting all your data in perfect sync."


Secure, Smart, and Social Cloud



"Secure your data, smarten your access, and socialize your cloud experience. Our service supports Google, OneDrive, and more for a truly social cloud."



Multiple user login




Beyond the Drive, Into the Cloud

- Step beyond the drive and into the cloud with our service.
- Multi-user functionality meets Google, OneDrive, and other cloud giants.


The Power of Now, In Every Update

Feel the power of now with every
OTA update.
Immediate, impactful, and always
improving.



The screenshot displays the DMInteract OTA Management interface. The left sidebar contains a 'Management' menu with options: System, HOME, SystemSetting, Operation, Basic Control, Version Management, Ota Management, Bin Management, Guiian Management, App Management, app Version Management, App Version Resources, and App Tag Manager. The main content area shows the 'Ota Management' page with a search bar and a table of OTA updates. The table has columns for machine type, OTA name, version code, resource type, update method, add time, and Operate. The data rows show various OTA updates for different machine types, including '3588-test', '311D2OTA升级', 'V100OTA升级', '311D2-ANH3-hsk', 'RK3588', '3588OTA升级', and '3588OTA升级'.

machine type	OTA name	version code	resource type	update method	add time	Operate
3588-test	update.zip	20240719.0857	Whole Packag	User Select	2024-07-01 20:07:43	Edit
311D2OTA升级	update.zip	20240705.1521	Whole Packag	User Select	2024-07-01 14:56:54	Edit
V100OTA升级	update.zip	348 20240606.1543	Whole Packag	User Select	2024-06-25 17:09:27	Edit
311D2-ANH3-hsk	update.zip	20240620.2102	Whole Packag	User Select	2024-06-24 16:34:24	Edit
RK3588	update.zip	20240620.1440	Whole Packag	User Select	2024-06-19 17:02:03	Edit
3588OTA升级	update.zip	20240614.1810	Whole Packag	User Select	2024-06-14 20:22:12	Edit
3588OTA升级	update.zip	20240612.1002	Whole Packag	User Select	2024-06-14 09:15:28	Edit

Brand Name:					
Model Number:	DM-ULTRA65-X	DM-ULTRA75-X	DM-ULTRA86-X	DM-ULTRA98-X	DM-ULTRA110-X
Diagonal Size:	65"	75"	86"	98"	110"
Bezel Color:	Aluminum Frame (White Color)				
Panel Type:	Ultra HD Direct Type LED				
Active Area (mm):	1428.48 (H) × 803.52 (V)	1649.66 (H) × 927.93 (V)	1895.04 (H) × 1065.96 (V)	2187.8 (H) × 1242.8 (V)	2436.48 (H) × 1370.52 (V)
Resolution:	4K (3840 × 2160) / 60Hz (Support: 8K Video Decoding)				
Pixel Pitch:	0.372mm × 0.372mm	0.429mm × 0.429mm	0.4935mm × 0.4935mm	0.5622mm × 0.5622 mm	0.6435mm × 0.6435 mm
Glass Hardness:	Mohs-7 Level				
Glass Panel:	Anti-Glare Glass With Zero Bonding Technology				



Model Number:	DM-ULTRA65-X	DM-ULTRA75-X	DM-ULTRA86-X	DM-ULTRA98-X	DM-ULTRA110-X
Aspect Ratio:	16:9				
Contrast Ratio:	1200:1 (Typ.)				
Brightness:	Over 350cd/m ²				
Color Depth:	1.07 Billion Colors				
Viewing Angle:	178° (H) × 178° (V)				
Life Span:	50,000 Hours				
Touch Technology:	IR Touch				
Multi-Touch:	Max 40 Points (Windows)				
Multi-Writing:	Max 20 Points (Windows)				
Touch Precision:	1mm (Over 90% Area)				



Model Number:	DM-ULTRA65-X	DM-ULTRA75-X	DM-ULTRA86-X	DM-ULTRA98-X	DM-ULTRA110-X
Auto-Calibration:	Yes				
Anti-Light:	Yes				
Minimum Object Size:	2mm				
Touch Response Time:	First Point <2ms, Continuation <8ms				
Supporting OS:	Windows 7/8/10/11; Android; Mac; Linux; Chrome OS				
Front Speakers:	20W × 2				
Subwoofer:	20W × 1				
Total Power Amplifiers	≤60W				
Microphone Type:	Wide Area Microphones				



Model Number:	DM-ULTRA65-X	DM-ULTRA75-X	DM-ULTRA86-X	DM-ULTRA98-X	DM-ULTRA110-X
Number Of Microphones:	8				
Auto Switch (Win/Central)	Yes				
Disconnectable:	Yes				
Built-In Camera:	48 Mega Pixel Ai Camera				
Camera Max Resolution:	4208 × 3120				
Frame Rate:	30FPS				
FOV (Field Of View):	120°				
Front Ports:	Type-C × 1, HDMI-In × 3, USB3.0 × 2, USB-B ×1				
Front Keys:	Power On/Off, Signal Source, Setting, ECO, Menu, Volume Up, Volume Down				
NFC:	Yes				



Model Number:	DM-ULTRA65-X	DM-ULTRA75-X	DM-ULTRA86-X	DM-ULTRA98-X	DM-ULTRA110-X
Fingerprint:	Yes				
Bottom Side Connections	Earphone × 1, Mic In × 1, SPDIF Out × 1, RS232 × 1, USB-B × 1, HDMI In × 1, HDMI Out × 1, RJ45 × 1, Type-C Out × 1, USB2.0 × 1, USB3.0 × 1, TF Card × 1				
Wi-Fi:	Wi-Fi 5 + Wi-Fi 6 + AP				
Bluetooth:	Version: 5.2				
Window OPS Slot:	80-Pins OPS Slot				
Operating System:	Android 13.0				
Chipset:	Rock Chip RK3588				
CPU:	Quad-Core Cortex-A76 & Quad-Core Cortex-A55, Up To 2.4GHz				
GPU:	Mali-G610 MC4				
NPU:	6T				



Model Number:	DM-ULTRA65-X	DM-ULTRA75-X	DM-ULTRA86-X	DM-ULTRA98-X	DM-ULTRA110-X
RAM / ROM:	16GB DDR4 / 256GB				
OPS Module (Optional):	Intel Core-i7, 11th Generation, 16GB, 512GB SSD, Windows 11 Pro				
Over The Air Updates:	OTA = Yes				
Light Sensor:	Yes				
NFC Recorder / Writer:	Yes				
3 In 1 Sensor:	Temperature, Humidity And Air Quality Three In One Sensor				
Fingerprint Module:	Yes				
Power Supply:	100V ~ 240V / AC (50/60Hz)				
Switch ON/OFF:	Yes				
Standby Consumption:	≤0.5Watt				
Power Consumption:	Max: <290W, Eco: <75W	Max: <320W, Eco: <75W	Max: <350W, Eco: <75W	Max: <510W, Eco: <75W	Max: <750W, Eco: <75W



Model Number:	DM-ULTRA65-X	DM-ULTRA75-X	DM-ULTRA86-X	DM-ULTRA98-X	DM-ULTRA110-X
Net Weight:	45±2 Kg	55±2 Kg	70±2 Kg	110±2 Kg	120±2 Kg
Gross Weight:	55±2 Kg	68±2 Kg	85±2 Kg	120±2 Kg	130±2 Kg
Product Dimension (cm):	147.09 × 9.75 × 89.75	169.21 × 9.75 × 102.19	194.34 × 9.75 × 116.6	221.61 × 10.65 × 131.62	250.0 × 10.8 × 147.6
Package Dimension (cm):	162.2 × 19 × 103.8	184.2 × 19 × 116.3	209.0 × 19.0 × 130.7	237.7 × 22.0 × 148.6	268.0 × 34.0 × 178.0
VESA Standard:	600 × 400mm	600 × 400mm	800 × 600mm	1000 × 400mm	1000 x 400mm
Certifications:	CE: EMC + LVD / RoHS / FCC / REACH / CCC				
Warranty:	1 Year				
Operating Temperature: Storage Temperature:	0°C - 40°C/32 - 100°F -20°C - 60°C / -4 - 140°F		Operating / Storage Humidity:	10% ~ 90%	
Accessories:	Wi-Fi Antenna × 3 Pcs, Ink Pen × 2, Remote Control × 1, 1.5m Power Cord × 1, 1.5m HDMI Cable × 1, 1.5m USB Touch Cable × 1, Wall Mount Kit				



SPECIAL OFFER

**ORDER
NOW**



www.dminteract.com



www.dubaimachines.com



DEALER ADDRESS:

Showroom G-02, IT Plaza, Dubai Silicon Oasis, Dubai, United Arab Emirates



CANADA OFFICE:

DMInteract Inc 801 Dundas Street East, Unit #D6, Mississauga, Ontario, L4Y 4G9



CONTACT NUMBER:

+971-4-3360300 - (Dubai Office)

+437-880-7712 - (Mississauga Office)



EMAIL ADDRESS:

info@dminteract.com