

BenQ LK952

Image Display

Display System	0.47" DC3 DMD DLP
Native Chip Resolution	1920 x 1080 (Full HD)
On-Screen Resolution	Up to UHD 4K (3840 x 2160) via XPR
Max Brightness	5000 Lumens
Aspect Ratio	Native: 16:9
Dynamic Contrast Ratio	3,000,000:1
Color Depth	10-Bit (1.07 Billion Colors)
Scan	Horizontal: 15 to 135 kHz Vertical: 24 to 120 Hz

Lens

Focus	Manual
Lens Shift	Vertical: \pm 60% Horizontal: \pm 23%

Optical Zoom	Manual: 1.6x
Throw Ratio	1.36 - 2.18:1
Projection Size	30 - 300" / 76.20 - 762.00 cm

Features

Keystone Correction	Manual-Vertical: $\pm 30^\circ$
Ceiling Mountable	Yes
Built-In Speaker	Yes
Speaker Power	10W
Projection Tilt Option	Yes

Input/Output Connectors

Inputs/Outputs	1 x HDBaseT (RJ45) Audio, Control, Video 3 x HDMI (HDMI Type-A) Audio, Video Input 1 x HDMI (HDMI Type-A) Audio, Video Output 1 x VGA (DE-15/DB-15) Video Input 1 x VGA (DE-15/DB-15) Video Output 1 x 1/8" / 3.5 mm Mini Audio Input 1 x 1/8" / 3.5 mm Mini Audio Output 1 x RJ45 LAN 1 x 1/8" / 3.5 mm Mini Remote
----------------	---

- 1 x** RS-232 (DE-9/DB-9) Control Input
 - 1 x** 12 V Trigger Control Output
 - 1 x** USB 2.0 (Mini-USB) Service
 - 1 x** USB 2.0 (USB Type-A) Power Output
-

General

Light Source

Laser Phosphor

Expected Lamp Life

Medium Brightness: 20,000 Hours

Fan Noise

Full Brightness: 40 dB
Low Brightness: 38 dB

Security

Cable Lock Slot
Security Bar

Supported Languages

Arabic
Bulgarian
Croatian
Czech
Danish
Dutch
English
Finnish
French
German
Greek
Hindi
Hungarian
Indonesian
Italian
Japanese
Korean
Norwegian
Persian
Polish

Portuguese
Romanian
Russian
Simplified Chinese
Spanish
Swedish
Thai
Traditional Chinese
Turkish
Vietnamese

AC Input Power 100 to 240 VAC, 50 / 60 Hz

Power Consumption Full Brightness: 585 W
Medium Brightness: 520 W
Low Brightness: 390 W
Standby Mode (Lamp Off): <2 W

Max Operating Altitude 9842' / 3000 m

Operating Temperature 32 to 104°F / 0 to 40°C

Dimensions (W x H x D) 19.3 x 6.3 x 15.0" / 490.0 x 159.0 x 380.0 mm

Weight 22.27 lb / 10.1 kg

Packaging Info

Package Weight 28 lb

Box Dimensions (LxWxH) 23.4 x 19.4 x 12"
